

HARTEX 
Play Hard. Play Smart.




Legacy
Innovation
Trust



**UNLEASH
THE
RIDING
MADNESS**

LEGACY

60 Years of Trust
Global Reach
Proven Performance



GLOBAL PRESENCE



18M Bicycle tyres

36M Bicycle tubes

\$40M Annual turnover

STANDARDS & CERTIFICATIONS



ISO 9001

Certified quality management systems.



ISO 14001

Environmental management system.



ISO 45001

Occupational Health & Safety



Sedex member

Ethical trade, labor rights & responsible practices.



Three Star Export

Recognized by DGFT



REACH Compliance

EU-certified safe chemical use.



California Prop 65, BIS, TBS

Meets US, Indian & Tanzanian standards.



ECE-R88 + ECE-R75 Certified

European safety & performance standards.



ETRTO, ISO 5775

International tyre standards compliance.

World-Class Manufacturing. Built to Global Standards.

Equipment

Automated
Calendering Machine, Mixers
Extruders, Tyre Building Machines,
Curing Units

Capacity

Designed for **large-scale** production.

Quality

Best in class for product **quality and efficiency**

Automation

Automated
Pneumatic Manufacturing Lines

Layout

Optimized flow to improve **safety.**

ESG & SUSTAINABILITY

Cycling towards endless possibility - Responsibly



Sourcing nature, shaping the future.

Sustainable complaint natural rubber
Bio-based rubber & silica
Recycled polyester
Eco-friendly additives



Hartex Circular Tech

Retreading & reuse
Scrap rubber to smart applications
Wood waste upcycled
Reclaimed rubber, reduced footprint



Eco Smart manufacturing

Rice husk biofuel
Low-carbon energy
Eco-clean mould technology
NitroCure Technology



Moving sustainably Delivering reliably

Smart, seamless warehousing
Eco fleet in motion
Lower emissions every mile
On-time, lighter-footprint delivery



Engineered for Performance

Low Rolling Resistance
Superior traction in wet conditions
More miles. Less wear
Lighter tyres, stronger rides



1 MW Solar
powering our future



Water recycled
nothing wasted



Zero Liquid Discharge
zero compromise



Repurposed tubes
zero waste



Dry Ice Cleaning
zero chemicals, total precision



Wood waste
reimagined as furniture



NitroCure
smarter, greener tyre curing

TYRES

MTB PAGE 05



XTREME I



XTREME II



XTRA ACTION



ACTION



VIPER



XTRA BOLD



BOXER



CUBE



OVERDRIVE



STUNTMAN

TOUR / TREK / CITY PAGE 12



URBAN RIDE



XCITE



RAZOR



ROLLER



ARROW



XTRA POWER



XTRA SPEED

GRAVEL PAGE 18



X-GRIT

ROAD PAGE 20



XPRESS



URBAN RIDE

MTB



CREATE
YOUR OWN
JOURNEY

XTREME I **TR**

The **Xtreme I** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
57-622	29x2.25	Skinwall	60	Aramid	Black	730
57-622	29x2.25	Skinwall/Tanwall	60	Aramid	Black/Beige	730

XTREME II **TR**

The **Xtreme II** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
62-622	29x2.40	Skinwall	60	Aramid	Black	860
62-622	29x2.40	Skinwall/Tanwall	60	Aramid	Black/Beige	860
57-622	29x2.25	Skinwall	60	Aramid	Black	770
57-622	29x2.25	Skinwall/Tanwall	60	Aramid	Black/Beige	770

XTRA ACTION

The **Xtra Action** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
62-622	29x2.40	Gumwall	30	Wire	Black	1235
62-622	29x2.40	Skinwall	60	Wire	Black	940
62-622	29x2.40	Tanwall	60	Wire	Black Beige	980
57-622	29x2.25	Gumwall	30	Wire	Black	1165
57-622	29x2.25	Skinwall	60	Wire	Black	890
57-622	29x2.25	Tanwall	60	Wire	Black Beige	925
54-622	29x2.10	Gumwall	30	Wire	Black	990
54-622	29x2.10	Skinwall	60	Wire	Black	780
54-622	29x2.10	Tanwall	60	Wire	Black Beige	810
54-622	29x2.10	Tanwall	60	Wire	Black Beige	840
62-584	27.5x2.40	Gumwall	30	Wire	Black	1160
62-584	27.5x2.40	Skinwall	60	Wire	Black	880
62-584	27.5x2.40	Tanwall	60	Wire	Black Beige	915
57-584	27.5x2.25	Gumwall	30	Wire	Black	1095
57-584	27.5x2.25	Skinwall	60	Wire	Black	830
57-584	27.5x2.25	Tanwall	60	Wire	Black Beige	865
54-584	27.5x2.10	Gumwall	30	Wire	Black	930
54-584	27.5x2.10	Skinwall	60	Wire	Black	730
54-584	27.5x2.10	Tanwall	60	Wire	Black Beige	760
54-584	27.5x2.10	Tanwall	60	Wire	Black Beige	790
100-559	26x4.00	Gumwall	30	Wire	Black	1870
100-559	26x4.00	Skinwall	30	Wire	Black	1330
100-559	26x4.00	Skinwall	60	Wire	Black Beige	1270
100-559	26x4.00	Tanwall	60	Wire	Black	1320
76-559	26x3.00	Gumwall	30	Wire	Black	1545
62-559	26x2.40	Gumwall	30	Wire	Black	1085
62-559	26x2.40	Skinwall	60	Wire	Black Beige	840
62-559	26x2.40	Tanwall	60	Wire	Black	875
57-559	26x2.25	Gumwall	30	Wire	Black	1050
57-559	26x2.25	Skinwall	60	Wire	Black Beige	800
57-559	26x2.25	Tanwall	60	Wire	Black	830
54-559	26x2.10	Gumwall	30	Wire	Black	890
54-559	26x2.10	Skinwall	60	Wire	Black Beige	715
54-559	26x2.10	Tanwall	60	Wire	Black	740
50-559	26x1.95	Gumwall	30	Wire	Black	860
47-559	26x1.75	Gumwall	30	Wire	Black	840
100-507	24x4.00	Gumwall	30	Wire	Black	1700
100-507	24x4.00	Skinwall	30	Wire	Black	1205
76-507	24x3.00	Gumwall	30	Wire	Black	1415
62-507	24x2.40	Gumwall	30	Wire	Black	980
57-507	24x2.125	Gumwall	30	Wire	Black	805
47-507	24x1.75	Gumwall	30	Wire	Black	755
100-406	20x4.00	Skinwall	30	Wire	Black	965
76-406	20x3.00	Gumwall	30	Wire	Black	1150
62-406	20x2.40	Gumwall	30	Wire	Black	790
57-406	20x2.125	Gumwall	30	Wire	Black	650

ACTION

The **Action** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
62-622	29x2.40	Gumwall	30	Wire	Black	1135
58-622	29x2.30	Gumwall	30	Wire	Black	1060
56-622	29x2.20	Gumwall	30	Wire	Black	970
62-584	27.5x2.40	Gumwall	30	Wire	Black	1065
58-584	27.5x2.30	Gumwall	30	Wire	Black	930
56-584	27.5x2.20	Gumwall	30	Wire	Black	900
76-559	26x3.00	Gumwall	30	Wire	Black	1340
62-559	26x2.40	Gumwall	30	Wire	Black	1015
54-559	26x2.10	Gumwall	30	Wire	Black	840
54-559	26x2.10	Tanwall	60	Wire	Black/Beige	630
50-559	26x1.95	Skinwall	60	Wire	Black	600
50-559	26x1.95	Gumwall	30	Wire	Black	780
47-559	26x1.75	Gumwall	30	Wire	Black	750
42-559	26x1.60	Gumwall	30	Wire	Black	675
76-507	24x3.00	Gumwall	30	Wire	Black	1215
54-507	24x2.10	Gumwall	30	Wire	Black	765
54-507	24x2.10	Skinwall	60	Wire	Black	550
54-507	24x2.10	Tanwall	60	Wire	Black/Beige	570
50-507	24x1.95	Gumwall	30	Wire	Black	725
50-507	24x1.95	Skinwall	60	Wire	Black	540
47-507	24x1.75	Gumwall	30	Wire	Black	700
42-507	24x1.60	Gumwall	30	Wire	Black	610
62-507	24x2.40	Gumwall	30	Wire	Black	920
76-406	20x3.00	Gumwall	30	Wire	Black	980
62-406	20x2.40	Gumwall	30	Wire	Black	740
54-406	20x2.10	Gumwall	30	Wire	Black	610
54-406	20x2.10	Skinwall	60	Wire	Black	440
50-406	20x1.95	Gumwall	30	Wire	Black	575
50-406	20x1.95	Skinwall	60	Wire	Black	420
47-406	20x1.75	Gumwall	30	Wire	Black	555
42-406	20x1.60	Gumwall	30	Wire	Black	490
47-355	18x1.75	Gumwall	30	Wire	Black	480
76-305	16x3.00	Gumwall	30	Wire	Black	755
50-305	16x1.95	Gumwall	30	Wire	Black	450
47-305	16x1.75	Gumwall	30	Wire	Black	430
42-305	16x1.60	Gumwall	30	Wire	Black	365
50-254	14x1.95	Gumwall	30	Wire	Black	380
47-254	14x1.75	Gumwall	30	Wire	Black	360
42-254	14x1.60	Gumwall	30	Wire	Black	305
50-203	12½x1.95	Gumwall	30	Wire	Black	300
47-203	12½x1.75	Gumwall	30	Wire	Black	285

VIPER

The **Viper** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
57-622	29x2.25	Gumwall	30	Wire	Black	1030
57-622	29x2.25	Skinwall	60	Wire	Black	835
57-622	29x2.25	Tanwall	60	Wire	Black Beige	870
54-622	29x2.10	Gumwall	30	Wire	Black	940
54-622	29x2.10	Skinwall	60	Wire	Black	735
54-622	29x2.10	Tanwall	60	Wire	Black Beige	765
54-584	27.5x2.10	Gumwall	30	Wire	Black	880
54-584	27.5x2.10	Skinwall	60	Wire	Black	685
54-584	27.5x2.10	Tanwall	60	Wire	Black Beige	715

XTRA BOLD

The **Xtra Bold** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
71-584	27.5x2.80	Gumwall	30	Wire	Black	1435
71-584	27.5x2.80	Skinwall	60	Wire	Black	1095
71-584	27.5x2.80	Tanwall	60	Wire	Black Beige	1135
76-559	26x3.00	Gumwall	30	Wire	Black	1545
71-559	26x2.80	Gumwall	30	Wire	Black	1395
66-559	26x2.60	Gumwall	30	Wire	Black	1305
62-559	26x2.40	Gumwall	30	Wire	Black	1170
76-507	24x3.00	Gumwall	30	Wire	Black	1415
76-406	20x3.00	Gumwall	30	Wire	Black	1150
76-305	16x3.00	Gumwall	30	Wire	Black	880

BOXER

The **Boxer** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
57-559	26x2.125	Gumwall	30	Wire	Black	890
57-507	24x2.125	Gumwall	30	Wire	Black	805
62-406	20x2.40	Gumwall	30	Wire	Black	790
62-305	16x2.40	Gumwall	30	Wire	Black	590
62-254	14x2.40	Gumwall	30	Wire	Black	495

CUBE

The **Cube** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
57-406	20x2.125	Gumwall	30	Wire	Black	780
50-406	20x1.95	Gumwall	30	Wire	Black	715
57-305	16x2.125	Gumwall	30	Wire	Black	580
57-203	12½x2¼	Gumwall	30	Wire	Black	385

OVERDRIVE

The **Overdrive** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
57-559	26x2.125	Gumwall	30	Wire	Black	920
50-559	26x1.95	Gumwall	30	Wire	Black	860
57-507	24x2.125	Gumwall	30	Wire	Black	835

STUNTMAN

The **Stuntman** tyre is an MTB tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
50-559	26x1.95	Gumwall	30	Wire	Black	930

TOUR/ TREK/ CITY



**BUILT FOR
LONG,
COMFORTABLE
MILES**

URBAN RIDE

Get around the city with **URBAN RIDE ANTI-PUNCTURE**. This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
54-622	28/29x2.10	Gumwall	30	Wire	Black	1060
54-622	28/29x2.10	Skinwall	60	Wire	Black	865
54-622	28/29x2.10	Tanwall	60	Wire	Black Beige	900
47-622	700x45C	Gumwall	30	Wire	Black	870
47-622	700x45C	Skinwall	60	Wire	Black	710
47-622	700x45C	Tanwall	60	Wire	Black Beige	735
42-622	700x40C	Gumwall	30	Wire	Black	795
40-622	700x38C	Gumwall	30	Wire	Black	755
40-622	700x38C	Skinwall	60	Wire	Black	620
40-622	700x38C	Tanwall	60	Wire	Black Beige	640
37-622	700x35C	Gumwall	30	Wire	Black	690
37-590	26x1%	Gumwall	30	Wire	Black	650
54-584	27.5x2.10	Gumwall	30	Wire	Black	970
47-584	27.5x1.75	Gumwall	30	Wire	Black	835
54-559	26x2.10	Gumwall	30	Wire	Black	930
47-559	26x1.75	Gumwall	30	Wire	Black	780
40-559	26x1.50	Gumwall	30	Wire	Black	705
47-507	24x1.75	Gumwall	30	Wire	Black	715
47-457	22x1.75	Gumwall	30	Wire	Black	570
47-406	20x1.75	Gumwall	30	Wire	Black	570

XCITE **TR**

Get around the city with **XCITE ANTI-PUNCTURE**. This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt, concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
47-622	700x45C	Gumwall	30	Wire	Black	930
47-622	700x45C	Skinwall	60	Wire	Black	720
47-622	700x45C	Skinwall	60	Aramid	Black	730
47-622	700x45C	Tanwall	60	Aramid	Black Beige	730
47-622	700x45C	Tanwall	60	Wire	Black Beige	760
40-622	700x38C	Gumwall	30	Wire	Black	810
40-622	700x38C	Skinwall	60	Wire	Black	585
40-622	700x38C	Skinwall	60	Aramid	Black	575
40-622	700x38C	Tanwall	60	Aramid	Black/Beige	575
40-622	700x38C	Tanwall	60	Wire	Black Beige	610

TR
TR

RAZOR

Get around the city with **RAZOR ANTI-PUNCTURE**. This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
76-559	26x3.00	Gumwall	30	Wire	Black	1425
62-559	26x2.40	Gumwall	30	Wire	Black	1115
76-507	24x3.00	Gumwall	30	Wire	Black	1295
62-507	24x2.40	Gumwall	30	Wire	Black	1015
47-507	24x1.75	Gumwall	30	Wire	Black	735
100-406	20x4.00	Gumwall	30	Wire	Black	1445
100-406	20x4.00	Skinwall	60	Wire	Black	1145
62-406	20x2.40	Gumwall	30	Wire	Black	850
57-406	20x2.125	Gumwall	30	Wire	Black	695
50-406	20x1.95	Gumwall	30	Wire	Black	675
47-406	20x1.75	Gumwall	30	Wire	Black	625
57-305	16x2.125	Gumwall	30	Wire	Black	530
50-305	16x1.95	Gumwall	30	Wire	Black	490
47-305	16x1.75	Gumwall	30	Wire	Black	470
57-254	14x2.125	Gumwall	30	Wire	Black	435
47-254	14x1.75	Gumwall	30	Wire	Black	395
50-203	12½x1.95	Gumwall	30	Wire	Black	340
47-203	12½x1.75	Gumwall	30	Wire	Black	300

ROLLER

Get around the city with **Roller** 30TPI RT ANTI-PUNCTURE 3MM. This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
76-406	20x3.00	Gumwall	30	Wire	Black	1400
76-305	16x3.00	Gumwall	30	Wire	Black	1060

ARROW

Get around the city with **ARROW** ANTI-PUNCTURE . This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
50-559	26x1.95	Gumwall	30	Wire	Black	860

XTRA POWER

Get around the city with **Xtra Power 30TPI RT ANTI-PUNCTURE 3MM**. This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
40-635	28x1½	Gumwall	30	Wire	Black	885
40-584	26x1½	Gumwall	30	Wire	Black	825

XTRA SPEED

Get around the city with **Xtra Speed 30TPI RT ANTI-PUNCTURE 3MM**. This high-quality road tyre is designed for speed and durability around unforgiving the roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
100-559	26x4.00	Skinwall	30	Wire	Black	1600

GRAVEL



FOR THE
UNSTOPPABLE

X-GRIT ^{TR}

The **X-Grit** tyre is an Gravel tyre that is built for loose terrains like dirt paths, sand and light natural trails. The tyre is made from robust materials and designed to withstand the wear and tear of the undulated outdoors, so you have a comfortable ride even when the paths you're taking are tricky



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
47-622	700x45C	Gumwall	30	Wire	Black	875
47-622	700x45C	Skinwall	60	Wire	Black	660
47-622	700x45C	Skinwall	60	Aramid	Black	660
47-622	700x45C	Tanwall	60	Wire	Black Beige	690
47-622	700x45C	Tanwall	60	Aramid	Black Beige	660
40-622	700x38C	Skinwall	60	Aramid	Black	500
40-622	700x38C	Skinwall	60	Aramid	Tan	500
40-622	700x38C	Gumwall	30	Wire	Black	710
40-622	700x38C	Skinwall	60	Wire	Black	500
40-622	700x38C	Tanwall	60	Wire	Black Beige	530
40-622	700x38C	Tanwall	60	Aramid	Black Beige	500

ROAD



RESHAPE
YOUR
LIMITS

XPRESS ^{TR}

Get around the city with **Xpress 60TPI RT ANTI-PUNCTURE 3MM**. This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
32-622	700x32C	Skinwall	60	Aramid	Black	
28-622	700x28C	Skinwall	60	Aramid	Black	
25-622	700x25C	Skinwall	60	Aramid	Black	340

URBAN RIDE

Get around the city with **Urban Ride 30TPI RT ANTI-PUNCTURE 3MM**. This high-quality city tyre is designed for speed and durability around unforgiving city roads. Be it smooth asphalt or concrete roads, or bumpy potholes along narrow lanes, you'll always ride comfortably. Reflective tape keeps you safe and visible at night.



ETRTO	SIZE	TYPE	TPI	BEAD	COLOUR	WEIGHT (g)
32-622	700x32C	Gumwall	30	Wire	Black	600
28-622	700x28C	Gumwall	30	Wire	Black	555
28-622	700x28C	Skinwall	60	Wire	Black	430
28-622	700x28C	Tanwall	60	Wire	Black Beige	460
25-622	700x25C	Gumwall	30	Wire	Black	470
25-622	700x25C	Skinwall	60	Wire	Black	435
25-622	700x25C	Tanwall	60	Wire	Black Beige	460

TYRE OPTIONS

Cream



Brown



Reflex Tape



Antipuncture
5MM & 3MM



Brown/Cream



Black/White



Black/Grey



Black/Cream



Black/Brown



White Strips



Grey Strips



Black/Beige
(Tanwall)



THESE OPTIONS ARE AVAILABLE FOR SELECTED MODELS.
OTHER SPECIFICATIONS ON REQUEST.

TYRES BY SIZE/ CATEGORY

DIAMETER	ETRTO	SIZE	MODEL	APPLICATION
635	62-622	29 x 2.40	XTRA ACTION	MTB
	40-635	28x1½	XTRA POWER	TOUR/TREK/CITY
622	62-622	29x2.40	ACTION	MTB
		29x2.40	XTRA ACTION	MTB
	58-622	29x2.30	ACTION	MTB
	56-622	29x2.20	ACTION	MTB
	57-622	29 x 2.25	VIPER	MTB
	25/28/32-622	-	XPRESS	TOUR/TREK/CITY
		29 x 2.25	XTREME I	MTB
		29 x 2.25/29 x 2.40	XTREME II	MTB
	56-622	29x2.20	ACTION	MTB
	54-622	29x2.10	XTRA ACTION	MTB
			VIPER	MTB
		29/28x2.10	URBAN RIDE	TOUR/TREK/CITY
	47-622	700x45C	URBAN RIDE	TOUR/TREK/CITY
			X-GRIT	GRAVEL
			XCITE	TOUR/TREK/CITY
	42-622	700x40C	URBAN RIDE	TOUR/TREK/CITY
	40-622	700x38C	X-GRIT	GRAVEL
			XCITE	TOUR/TREK/CITY
	37-622	700x35C	URBAN RIDE	TOUR/TREK/CITY
	32-622	700x32C	URBAN RIDE	TOUR/TREK/CITY
28-622	700x28C	URBAN RIDE	ROAD	
25-622	700x25C	URBAN RIDE	ROAD	
		XPRESS	ROAD	
590	37-590	26x1¾	URBAN RIDE	TOUR/TREK/CITY
584	71-584	27.5x2.80	XTRA BOLD	MTB
	62-584	27.5x2.40	ACTION	MTB
			XTRA ACTION	MTB
	58-584	27.5x2.30	ACTION	MTB
	56-584	27.5x2.20	ACTION	MTB
	57-584	27.5 x 2.25	XTRA ACTION	MTB
	56-584	27.5x2.20	ACTION	MTB
			XTRA ACTION	MTB
	54-584	27.5x2.10	VIPER	MTB
			URBAN RIDE	TOUR/TREK/CITY
47-584	27.5x1.75	URBAN RIDE	TOUR/TREK/CITY	
40-584	26x1½	XTRA POWER	TOUR/TREK/CITY	
559	100-559	26x4.00	XTRA ACTION	MTB
	76-559	26x3.00	ACTION	MTB
			XTRA ACTION	MTB
			XTRA BOLD	MTB
			RAZOR	TOUR/TREK/CITY
	71-559	26x2.80	XTRA BOLD	MTB
	65-559	26x2.60	XTRA BOLD	MTB
	62-559	26x2.40	ACTION	MTB
			XTRA ACTION	MTB
			XTRA BOLD	MTB
			RAZOR	TOUR/TREK/CITY
	57-559	26x2.25	XTRA ACTION	MTB
26x2.125		BOXER	MTB	
		OVERDRIVE	MTB	
56-559	26x2.20	ACTION	MTB	
50-559	26x1.95	ACTION	MTB	


TYRES BY SIZE/ CATEGORY

DIAMETER	ETRTO	SIZE	MODEL	APPLICATION	
559	54-559	26x1.95	XTRA ACTION	MTB	
			URBAN RIDE	TOUR/TREK/CITY	
	50-559		XTRA ACTION	MTB	
			OVERDRIVE	MTB	
			STUNTMAN	MTB	
			ARROW+	TOUR/TREK/CITY	
	50-559		26x1.95	ACTION	MTB
	47-559		26x1.75	ACTION	MTB
				XTRA ACTION	MTB
	42-559		26x1.60	URBAN RIDE	TOUR/TREK/CITY
ACTION		MTB			
40-559	26 x 1.50	URBAN RIDE	TOUR/TREK/CITY		
507	100-507	24x4.00	XTRA ACTION	MTB	
	76-507	24x3.00	ACTION	MTB	
			XTRA BOLD	MTB	
			RAZOR	TOUR/TREK/CITY	
	62-507	24 x 2.40	ACTION	MTB	
	62-507	24 x 2.40	XTRA ACTION	MTB	
	62-507	24 x 2.40	RAZOR	TOUR/TREK/CITY	
	62-507	24 x 2.40	XTRA ACTION	MTB	
	57-507	24x2.125	BOXER	MTB	
			OVERDRIVE	MTB	
			XTRA ACTION	MTB	
	54-507	24x2.10	ACTION	MTB	
	50-507	24x1.95	ACTION	MTB	
	47-507	24x1.75	ACTION	MTB	
			RAZOR	TOUR/TREK/CITY	
		24x1.50	ACTION	MTB	
	42-507	24x1.60	ACTION	MTB	
406	100-406	20x4.00	RAZOR	TOUR/TREK/CITY	
	76-406	20x3.00	ACTION	MTB	
			XTRA ACTION	MTB	
			XTRA BOLD	MTB	
			ROLLER+	MTB	
	62-406	20x2.40	ACTION	MTB	
			XTRA ACTION	MTB	
			BOXER	MTB	
			RAZOR	TOUR/TREK/CITY	
	57-406	20x2.125	XTRA ACTION	MTB	
			CUBE	MTB	
			RAZOR	TOUR/TREK/CITY	
	54-406	20x2.10	ACTION	MTB	
	52-406	20x1.95	CUBE	MTB	
RAZOR			TOUR/TREK/CITY		
50-406	20x1.95	ACTION	MTB		
47-406	20x1.75	ACTION	MTB		
		RAZOR	TOUR/TREK/CITY		
42-406	20x1.60	ACTION	MTB		
355	47-355	18x1.75	ACTION	MTB	
305	76-305	16x3.00	ACTION	MTB	
			XTRA BOLD	MTB	
			ROLLER+	TOUR/TREK/CITY	

TYRES BY SIZE/ CATEGORY

<i>DIAMETER</i>	<i>ETRTO</i>	<i>SIZE</i>	<i>MODEL</i>	<i>APPLICATION</i>
305	62-305	16x2.40	BOXER	MTB
	57-305	16x2.125	CUBE	MTB
			RAZOR	TOUR/TREK/CITY
	50-305	16x1.95	ACTION	MTB
	47-305	16x1.75	ACTION	MTB
			RAZOR	TOUR/TREK/CITY
		16x1.50	ACTION	MTB
42-305	16x1.60	ACTION	MTB	
254	62-254	14x2.40	BOXER	MTB
	57-254	14x2.125	RAZOR	TOUR/TREK/CITY
	50-254	14x1.95	ACTION	MTB
	47-254	14x1.75	ACTION	MTB
			RAZOR	TOUR/TREK/CITY
		14x1.60	ACTION	MTB
	42-254	14x1.60	ACTION	MTB
47-254	14x1.50	ACTION	MTB	
203	57-203	12½x2¼	CUBE	MTB
	50-203	12½x1.95	ACTION	MTB
	47-203	12½x1.75	ACTION	MTB
			RAZOR	MTB

TECHNOLOGY



MAXIGRIP™

Developed by Hartex R&D, MaxiGrip™ uses a unique blend of polymers, fillers, and chemicals to deliver the ideal balance of grip, rolling efficiency, comfort, and durability — ensuring high-performance rides across every terrain.



PUNCTURE GUARD™

Puncture Guard™ tires are designed to prevent flats, so you can enjoy your ride. We use a combination of advanced technologies, including a high-quality rubber compound, extra textile layers, a high TPI count, and a protective rubber belt to keep you riding smoothly.

INNER TUBES & VALVES

ETRTO	SIZE	TYPE	FLAT WIDTH (mm)	WEIGHT (g)	WALL THICKNESS (mm)
76/90-622	29x3.00/3.50	29 Fat	79	370	0.90
66/76-622	29x2.60/3.00	29 Xtra Wide	70	330	0.90
57/66-622	29x2.25/2.60	29 Wide	50	235	0.90
47/57-622	28/29x1.75/2.25	28/29 Classic	45	205	0.90
37/47-622/635	28x1.40/1.75	28 Slim	38	180	0.90
28/37-622/635	28x1.10/1.40	28 Xtra Slim	33	160	0.90
25/32-622/635	28x1.00/1.25	28 Race Wide	29	135	0.90
18/25-622/630	27/28x¾/1.00	28 Race	24	110	0.90
90/114-584	27.5x3.50/4.50	27.5 Xtra Fat	97	560	1.20
76/90-584	27.5x3.00/3.50	27.5 Fat	79	345	0.90
66/76-584	27.5x2.60/3.00	27.5 Xtra Wide	70	310	0.90
57/66-584	27.5x2.25/2.60	27.5 Wide	50	220	0.90
47/57-584	27.5x1.75/2.25	27.5 Classic	45	195	0.90
18/28-584	27.5x¾/1.10	27.5 Race	24	103	0.90
114/140-559	26x4.50/5.50	26 Xcess	114	625	1.20
90/114-559	26x3.50/4.50	26 Xtra Fat	97	530	1.20
76/90-559	26x3.00/3.50	26 Fat	79	335	0.90
66/76-559	26x2.60/3.00	26 Xtra Wide	70	300	0.90
57/66-559	26x2.25/2.60	26 Wide	50	210	0.90
47/57-559	26x1.75/2.25	26 Classic	45	190	0.90
37/47-559/597	26/27.5x1.40/1.75	26/27.5 Slim	38	160	0.90
28/37-559/597	26/27.5x1.10/1.40	26/27.5 Xtra Slim	33	140	0.90
18/28-559	26x¾/1.10	26 Race	24	98	0.90
90/114-507	24x3.50/4.50	24 Xtra Fat	97	495	1.20
76/90-507	24x3.00/3.50	24 Fat	79	290	0.90
66/76-507	24x2.60/3.00	24 Xtra Wide	70	260	0.90
57/66-507	24x2.25/2.60	24 Wide	50	190	0.90
47/57-507	24x1.75/2.25	24 Classic	45	170	0.90
32/47-507/544	24x1.25/1.75	24 Slim	38	150	0.90
47/57-457	22x1.75/2.25	22 Classic	45	145	0.90
32/47-457/501	22x1.25/1.75	22 Slim	38	130	0.90
90/114-406	20x3.50/4.50	20 Xtra Fat	97	395	1.20
76/90-406	20x3.00/3.50	20 Fat	79	255	0.90
66/76-406	20x2.60/3.00	20 Xtra Wide	70	225	0.90
57/66-406	20x2.25/2.60	20 Wide	50	150	0.90
47/57-406	20x1.75/2.25	20 Classic	45	135	0.90
32/47-406/451	20x1.25/1.75	20 Slim	38	115	0.90
25/32-451	20x1.00/1.25	20 Xtra Slim	29	95	0.90
66/76-355	18x2.60/3.00	18 Xtra Wide	70	185	0.90
57/66-355	18x2.25/2.60	18 Wide	50	145	0.90
47/57-355	18x1.75/2.25	18 Classic	45	120	0.90
32/47-355/400	18x1.25/1.75	18 Slim	38	105	0.90
66/76-305	16x2.60/3.00	16 Xtra Wide	70	160	0.90
57/66-305	16x2.25/2.60	16 Wide	50	120	0.90
47/57-305	16x1.75/2.25	16 Classic	45	110	0.90
32/47-305/349	16x1.25/1.75	16 Slim	38	100	0.90
57/66-254	14x2.25/2.60	14 Wide	50	110	0.90
47/57-254	14x1.75/2.25	14 Classic	45	90	0.90
32/47-254	14x1.25/1.75	14 Slim	38	80	0.90
57/66-203	12½x2.25/2.60	12 Wide	50	90	0.90
47/57-203	12½x1.75/2.25	12 Classic	45	75	0.90
32/47-203	12½x1.25/1.75	12 Slim	38	65	0.90

The tubes with self-sealant are available for all the sizes. Wall Thickness 1.2mm

RIM TAPES

PVC RIM TAPES are available for all the dimensions.
STANDARD WIDTHS 18/14 mm, THICKNESS 0.7 mm, HOLE DIAMETER 8 mm.

TUBES



Precision Extrusion Technology

Uniform wall thickness and accurate gauge control for consistent performance.

High-Purity Butyl Compounding

Enhanced air retention and long-lasting durability.

Automated Splicing & Valve Bonding

Stronger joints and secure valve adhesion for leak resistance.

Advanced Testing & Quality Control

Every batch validated for burst strength, air retention, and dimensional accuracy.

Efficient & Sustainable Processes

Energy-optimized curing systems for reliable and eco-conscious production.



Available in all sizes and weights as per customer requirement



Uniform extrusion for consistent sizing



High-purity butyl for superior air retention



Precision splicing to prevent slow leaks



Strong valve bonding for durability



Rigorous in-house testing for reliability

Hartex SealPro

Self-Sealant Inner Tube

Hartex introduces its latest innovation – the Self-Sealant Inner Tube – designed to give riders unmatched confidence on every journey. Engineered with advanced sealant technology, this inner tube automatically seals punctures as they happen, ensuring that your ride continues without compromise.



How it works

- The inner tube comes **pre-filled** with a high-performance sealant gel.
- If the tyre is punctured, the **sealant** instantly flows to the **damaged area** and seals the leak.
- Even when an external object is removed, the **gel re-seals the hole seamlessly**, maintaining consistent tyre pressure and performance.



Key benefits

- Instant puncture protection on the go.
- No compromise on tyre performance.
- Longer, worry-free rides.

PACKAGING



Pouch Packing



Box Packing

Biscuit/pouch packing and box packing options are available for all tubes. The packing artwork can also be customized.

VALVES



REACH Compliance

EU-certified safe chemical use.

Type Italian Valve
Metal Coating Nickel

Type Dunlop Valve
Metal Coating Brass / Nickel

Type American Valve
Metal Coating Brass / Nickel

Type French Valve
Metal Coating Brass

Type American Valve (Rubberised)
Metal Coating Brass / Nickel

Type German Core / Easy Pump Core Valve
Metal Coating Brass / Nickel

NOTES

A series of horizontal dashed lines for writing notes.



Scan for e-catalogue



Hartex Rubber Private Limited

Corporate Office

8-2-472, GVC Square, 4th Floor, Road No. 1,
Banjara Hills, Hyderabad 500 034,
Telangana, India.

Hyderabad Factory

Plot No. 106, Sri Venkatshwara Co-op Industrial Estate
IDA Bollaram, (Sangareddy Dist.) Hyderabad 502 325,
Telangana, India.

Ludhiana Factory

HB 219, Village Doburji, Ludhiana 141421,
Punjab, India.



+91 9346616814



info@hartex.in /
corpsales@hartex.in

